

EG&G ROCKY FLATS, INC.

March 22, 1991

91-RF-1534

Robert M. Nelson, Jr.

Manager

DOE, RFO

Attention: M. E. Van Der Puy

MONTHLY DISCHARGE MONITORING REPORT - NPDES PERMIT NO. CO-0001333

Attached is a draft letter of transmittal for the February 1991, Discharge Monitoring Report (DMR), required by the Rocky Flats Plant National Pollutant Discharge Elimination System (NPDES) Permit. Pond A-3 did not discharge during the reporting period. Pond B-3 was continuously discharged to Pond B-5 during February 1991. Water was transferred from Pond B-5 to Pond A-4 beginning on February 6, 1991, and continued through February 28, 1991. Pond A-4 water was filtered and treated with Granular Activated Carbon prior to offsite discharge.

There were no analytical results with values in excess of the permitted levels of any reported parameters during the month of February. The results reported are accurate and complete within the inherent limits of the sampling and analytical methods employed.

It is necessary that the Principal Executive Officer sign and date the letter, and the DMR forms. As requested by the EPA, the forms for those discharge points which were not active are included with the notation of "No Discharge." The NPDES permit requires that the report be postmarked no later than March 28, 1991, and be sent to the following agencies:

Mr. Steve Burkett, Chief
Compliance Branch
Water Management Division
U. S. Environmental Protection Agency, Region VIII
999 - 18th Street, Suite 500
Denver, CO 80202-2413

Colorado Department of Health
Attention: Stanley V. May
Monitoring and Enforcement Section
Water Quality Division
4210 East Eleventh Avenue
Denver, CO 80220

CLASSIFICATION:

CONFIDENTIAL	X	X
UNCLASSIFIED	X	X
CONFIDENTIAL		
SECRET		

THORIZED CLASSIFIER

~~SIGNATURE,~~

[Signature]

5/15/19

~~SECRET~~

ATE 

REPLY TO LTENG. 27

31

URL: <http://www.mindgarden.com/Products/Products.asp?ProductID=177>

TR APPROVALS: *MA*

R APPROVALS. ~~SON~~

mw

RIG & TYPIST INITIALS

AD/VBS.

FD-46469 (Rev 11/90)

Jack L. Krosch

**J. M. Kersh, Associate General Manager
Environmental Restoration and Waste Management**

LAD:vbs

Original and 1 cc - R. M. Nelson, Jr.

Attachment:

As Stated

**DOCUMENT CLASSIFICATION
REVIEW WAIVER PER
CLASSIFICATION OFFICE**

ADMIN RECORD

A: UW-001734

116

DRAFT DRAFT DRAFT

Mr. Steve Burkett, Chief
Compliance Branch
Water Management Division
U.S. Environmental Protection Agency, Region VIII
999 - 18th Street, Suite 500
Denver, CO 80202-2413

Colorado Department of Health
Attention: Stanley V. May
Monitoring and Enforcement Section
Water Quality Division
4210 East Eleventh Avenue
Denver, CO 80220

Enclosed is the Discharge Monitoring Report for February 1991, as required by the Rocky Flats Plant National Pollutant Discharge Elimination System (NPDES) Permit No. CO-0001333.

There was no spray irrigation from Pond B-3 during the reporting period, per verbal agreement with EPA.

The Reverse Osmosis Pilot Plant (Monitoring Point 003) was not operated and the Reverse Osmosis Plant (Monitoring Point 004) did not discharge during the reporting period. Pond B-3 was continuously discharged to Pond B-5 during February 1991, Pond B-5 water was transferred to Pond A-4 beginning February 6, and continued through the month. Offsite discharge from Pond A-4 occurred from February 1, through February 28, 1991, and was filtered and treated with Granular Activated Carbon prior to offsite discharge. Pond A-3 was not discharged during the reporting period.

The results reported are accurate and complete within the inherent limits of the sampling and analytical methods employed.

